## **IN THE CLAIM**

Please amend claims 1, 21-22, 27 and 30 and cancel claims 23 and 24 without disclaiming their subject matter to read as follows.

- 1. (Currently Amended) A process for quantitating a human DNA in a sample, said 1 process comprising the steps of: 2 providing a sample to be analyzed; 3 amplifying predetermined genomic DNA of an Alu element subfamily by using primers, 4 said Alu element subfamily being more enriched in the human genome than in any non-human 5 primate genome, the amplification being intra-Alu polymerase chain reaction amplification, each 6 of said primers including a subfamily-specific diagnostic mutation; and 7 measuring the amount of the human DNA by comparing the amplified DNA with a 8 reference to quantitate the human DNA in the sample. 9
  - 2-4. (Canceled)
  - 5. (Previously Presented) The process of claim 1, wherein the amplification is a polymerase chain reaction with the primers containing the following sequences:
  - 5' CGAGGCGGGTGGATCATGAGGT 3'(SEQ ID NO: 3)
- 4 and

1

1

2

3

5 5' TCTGTCGCCCAGGCCGGACT 3' (SEQ ID NO: 4).

6. (Previously Presented) The process of claim 1, wherein the amplification is a 1 polymerase chain reaction with the primers containing the following sequences: 2 5' GAGATCGAGACCACGGTGAAA 3' (SEQ ID NO: 5) 3 and 4 5' TTTGAGACGGAGTCTCGTT 3' (SEQ ID NO: 6). 5 7. (Previously Presented) The process of claim 1, wherein the measurement step 1 comprises the step of measuring the amount of the human DNA on an agarose gel stained with 2 ethidium bromide. 3 8. (Previously Presented) The process of claim 1, wherein the measurement step 1 comprises the step of measuring the amount of the human DNA by using a qPCR system. 2 9. (Previously Presented) The process of claim 1, wherein the measurement step 1 comprises the step of measuring the amount of the human DNA by using TaqMan chemistry. 2 Claims 10-20. (Canceled) 1 21. (Currently Amended) A process for quantitating a human DNA in a sample, said 1 process comprising the steps of: 2

3	providing a sample to be analyzed;
4	amplifying predetermined genomic DNA containing an Alu element by using primers,
5	said Alu element being present only in the human genome, the amplification being intra-Alu
6	polymerase chain reaction amplification, each of said primers including a subfamily-specific
7	diagnostic mutation; and
8	measuring the amount of the human DNA by comparing the amplified DNA with a
9	reference.
1	22. (Currently Amended) A process for quantitating a human DNA in a sample, said
2	process comprising the steps of:
3	providing a sample to be analyzed;
4	amplifying predetermined genomic DNA of an Alu element subfamily by using primers,
5	each of said primers including a subfamily-specific diagnostic mutation, said predetermined
6	genomic DNA including subfamily specific diagnostic mutations, a copy number of said
7	predetermined genomic DNA in the human genome being higher than a copy number of said
8	predetermined genomic DNA in any non-human primate genome, the amplification being intra-
9	Alu polymerase chain reaction amplification; and
10	measuring the amount of the human DNA by comparing the amplified DNA with a
11	reference.

23. (Canceled)

1	24. (Canceled)
1 2	25. (Previously Presented) The process of claim 1, wherein said Alu element subfamily is Yb8 subfamily.
1 2	26. (Previously Presented) The process of claim 1, wherein said Alu element subfamily is Ya5 subfamily.
1 2	27. (Currently Amended) A process for quantitating a human DNA in a sample, said process comprising the steps of:
3	providing a sample to be analyzed;
4	amplifying predetermined genomic DNA of an Alu element subfamily by using primers,
5	The process of claim 1, wherein said Alu element subfamily is being Yd6 subfamily, said Alu
6	element subfamily being more enriched in the human genome than in any non-human primate
7	genome, the amplification being intra-Alu polymerase chain reaction amplification; and
8	measuring the amount of the human DNA by comparing the amplified DNA with a
9	reference to quantitate the human DNA in the sample.
1	28. (Previously Presented) The process of claim 22, wherein said Alu element subfamily is Yb8 subfamily.
4	is a so suctuinity.

1	29. (Previously Presented) The process of claim 22, wherein said Alu element subfamily
2	is Ya5 subfamily.
1	30. (Previously Presented) The process of claim 22, A process for quantitating a human
2	DNA in a sample, said process comprising the steps of:
3	providing a sample to be analyzed;
4	amplifying predetermined genomic DNA of an Alu element subfamily by using primers,
5	wherein-said Alu element subfamily is being Yd6 subfamily, said predetermined genomic DNA
6	including subfamily-specific diagnostic mutations, a copy number of said predetermined
7	genomic DNA in the human genome being higher than a copy number of said predetermined
8	genomic DNA in any non-human primate genome, the amplification being intra-Alu polymerase
9	chain reaction amplification; and
10	measuring the amount of the human DNA by comparing the amplified DNA with a
11	reference.

1, 19